## QQ agripp

Belgium Designed Climbing Holds Volumes



#### NEW 2018 - THE DUNE

Modern indoor bouldering is evolving and the use of larger, cleaner holds à la Dune is shifting the setting style away from brute strength orientated moves towards problems that place a greater reliance on technique and coordination, in addition to encouraging experimentation with movement.


With Dune, the frustration of not being strong enough is no longer always the barrier to success – We reckon it's hard to argue against the more engaging and playful experience that this climbing hold style offers the contemporary climber.

Each line offers a wide variety of shapes making it easy to create entirely new routes.

## Index


Holds		Volumes	
Chip - Daiya	4	S.07 - 06 - 05 Dune	33
Botan - Moby	5	S.08 - 04 - 03 Dune	35
Octopus - Yumi	6	S.10 - 09 - 02 - 01 Dune	37
Alpha - Chican	7		
Nexus - Jala	8	<u></u>	
Ishi - Zen	9	Technical	
Sushi - Pusi	10	Features	32
Rex - Targa	11	Colors	34
Conor - Chuli	12		
Rival - Joker	13		
Mateo 1 - 2	16		
Rubis	1 <i>7</i>		
Rain	18		
Chilam - Luna	19		
Genesis - Sirena	20		
Ganesh 1 - 2	21		
Baransu	22		
Masu 1	23		
Masu 2 - 3	24		
Bolero - Oslo	25		
Galeo - Yotsu	26		
Comix	27		
Dune	28		
Tsuvo - Musata	29		







Holds 10 Size XS Difficulty Hard Ref - PU 9331

## Daiya



#### Botan








## Octopus




Holds 10 Size S Difficulty Moderate Ref - PU 9509 Ref - PE 9329










Holds 5
Size S - M
Difficulty Hard
Ref - PU 10376
Ref - PE 10680








Holds 4
Size L
Difficulty Hard
Ref - PU 9327
Ref - PE 9790


### Zen




Holds 15
Size M - L
Difficulty Hard
Ref - PU 9494
Ref - PE 9330


### Sushi
















# Joker 3 L - XL

Holds


Size Difficulty Ref - PU Ref - PE

Moderate 10486 10674






## Mateo 1



### Mateo 2



Holds 1 Size XL Difficulty Moderate Ref - PU 10485







Holds 6
Size XXL
Difficulty Hard
Ref - PU 9316
Ref - PE 9846

Holds 18

## Chilam






Holds 2
Size XL - XXL
Difficulty Moderate
Ref - PU 10822

#### Genesis








#### Ganesh 2



## Baransu



Holds 22

## Masu 1



### Masu 2





## Bolero



Holds 2
Size MEGA
Difficulty Hard
Ref - PU 10823

### Oslo



### Galeo



Holds 2
Size MEGA
Difficulty Hard
Ref - PU 9325
Ref - PE 10332


Holds

## Comix



Holds 1
Size MEGA
Difficulty Moderate
Ref - PU 9666

## Dune



Holds 28





Holds 2
Size MEGA
Difficulty Hard
Ref - PU 9318
Ref - PE 10333

#### Musata







## Dune







Volume 1 Size M Difficulty Hard Ref S.05





Volume 1 Size M Difficulty Hard Ref S.03

## Dune



**Volumes** 











#### Holds Technical data



#### PE - Polyester CRISTOBALITE

We chose cristobalite resin for the manufacture of our climbing holds. A precise mix of quartz powder for the resin mortar. A touch close to the rock with unique grip sensations thanks to it hardness. PE resin is cheaper. On the other hand, it is much more stable in U.V. AGRIPP has the latest «Safety Holds» technology and fulfills the latest European standards regarding these.

#### PU - Polyuréthane DANNOMOND

Characteristics like higher wear resistance, bright colours, dry soft texture and superior strength make it the first choice material for Climbing holds. Route setters and gym owners alike appreciate the long life and ease of route setting it imparts in the holds.



#### Insert

Insert INOX - UBI (Universal Bolt Insert) increases the resistance capacities up to 300%. Agripp holds are therefore much more resistant. This system is integrated into all Agripp holds. This way, to use M10 screws with cylindrical heads. This systeme garantie has been specificically designed to guarantee a stabel and resistant Attachement.



#### Hallow back

At Agripp we are very concerned about global warming and climate change. We believe our composite outlet manufacturing technique contributes to the common effort of minimizing the use of fossil natural resources and minimizing emissions, using 5 times less raw material and producing the climbing holds that have the longest life in the market.

Most holds from size L are reduced. We signed to have this customized counter-shape to make them lighter for use of the roadsetter and save time and energy. For to focus only on the road.



#### Maintenance

When the holds are screwed to a wall and used regularly, it is common for magnesia and rubber slippers to soil them. In the long run, this can affect the quality of grain adhesion. We advise our customers to clean the outlets before reuse and check their condition after a long period of use.

#### **Volumes**




Agripp volumes are unique in their composition with polyester resin and fiberglass. This procedure makes it possible to have large, light, thin and strong shapes. This procedure allows to have fine shapes with a good friction for a climbing sensation. Fixing this done with wood screws.



#### Washers

Stainless Steel washers will be now used in every of our climbing holds and volumes fiberglas so screw holes don't wear out with multiple use and the load on a bolt is spread a little more evenly. It is recommended that you do use set screws in each hold. If there is more than one hole then please use it as this will eliminate any flex in the hold.

We have even improved the method of implementing the washers inside the fiberglass ( now washers are between fiberglass layers and it is only visible the



Agripp we are constantly looking for better materials which will give us more strength and durability coupled with better value for money. We believe we have found the best material we can at present but will continue to search for better. Our PU has the best balance of weight, strength and durability on the market. We enhance the surface durability buy post curing every single hold.

European standard - EN 12572-3



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

#### IFSC Authorised Macros Producer



#### Agripp fiberglass

Born from the need to respond to the ever-increasing demand for volumes. In this spirit, Agripp to develop a range of 10 volumes to meet the need for routing to achieve the best possible volumes in the climbing market. Whether it's lead or bouldering. Agripp opens the way. Passionate about climbing, we are always looking to improve our products. We can offer you all RAL colors as well as fluorescent colors.

Licence IFSC 2019



#### Holds & Volumes Color



#### Contact

#### **Agripp sprl**

Rue Henri Stacquet 22 Belgium - 1030 Brussels info@agripp.com +32 479 95 44 86

### Impressum

#### Pictures

Mireille Roebaert Stijn Van Hulle Philippe Ceulemans

#### **Text**

**Philippe Ceulemans** 

#### **Graphic Design**

Philippe Ceulemans